

Premium equipment for medical technology

Quality products with conformity,
reliable performance and price advantage



- Batteries
- Charging technology
- ECG Cable
- SpO2 sensors
- Defibrillator-Pads
- temperature sensors
- blood pressure cuffs

Table of contents

About Axcom	4	MGVG / Döring	24
Compatible from A to Z		Mindray	24
Alaris Carefusion	8	Nellcor	26
Arcomed	8	Nihon Kohden	26
Arjo	9	Philips	28
Atmos	10	Physio Control	34
B Braun	10	Primedic / Metrax	35
BK Medical	12	Protocol Propaq	35
Bruker / Schiller	12	Schell Industries	35
Codan Argus	12	Seca	36
Criticon	13	Siemens	36
Datascope	13	Spacelabs	36
Datex / Ohmeda	13	Stieglmeyer	37
Dräger	14	Stryker	37
Esaote	16	Synthes	38
Fresenius	16	Trimed und Quest	38
Fukuda Denshi	17	Völker	38
GE Healthcare	18	Weinmann	38
Hamilton	20	Welch Allyn	39
Heine	20	Wissner-Bosserhof	40
Hellige / Marquette	21	Zoll	40
Hewlett Packard	22	Cell replacement	41
Hill-Rom	22	Sensors	42
Maquet	23	Blood pressure cuffs	44
Masimo	23	Shop and contact	46

We develop mobile energy



More powerful, longer lasting, more reliable: Premium batteries, charging technology and accessories from Axcom Power Solutions.

As a leading, internationally operating company for premium batteries, charging technology and high-quality accessories, Axcom implements demanding projects for industry, medical technology, trade and the public sector.

We see ourselves as a performance partner to our customers around the world, with over 40 years of expertise in innovative battery and charging technology. What matters and pays off for you: accessories, charging technology and the right batteries for your application come from a single source at Axcom. Without compromising on quality, with personal service, short delivery times and costs that offer the best ratio of price to performance.

Top quality directly from the battery manufacturer



Through extensive testing under realistic conditions.



Through selected storage cells and careful assembly.



Through low acquisition costs and extra-long service.

Innovation driver with traditional values

Engineering

Axcom engineers work closely with customers from a wide range of industries. In close collaboration with scientific institutes and partners around the world, we develop products that often exceed our customers requirements.

Expertise

Axcom products are reliable: they are certified, CE-compliant and undergo extensive testing in clinics. Each product comes with a declaration of conformity. They are also carefully checked before dispatch and exceed even the highest quality standards.

Commitment

Listening and providing extensive advice before closing a sale - this is how Axcom lays the foundation for long-term, trusting partnerships. Added to this are our exchange promise and our technical service, which remains available to customers even after the purchase



High quality. Reliable. 100% compliant.

Axcom products for medical devices combine low costs with certified quality.


When people's health or lives are at stake, only absolute reliability and the highest quality count. With batteries, sensors and medical accessories from Axcom Power Solutions, you receive fully certified products with a declaration of conformity and a long service life. Our products stand out not only with their quality, but also with a price that offers their outstanding value for money.

Axcom – higher quality for medical technology

- 100% compatible – confirmed by our declaration of conformity
- High-quality components such as Japanese quality cells
- Support from trained product advisors
- Double quality control during production and shipping
- Quality management in accordance with ISO9001:2015
- Technical service, even after the purchase
- Short delivery times and cost-effective delivery



Your advantages




Guaranteed Compliance

We issue a declaration of conformity for each of our medical technology products. You can be sure that the item can be used exactly as the original, is compatible with the original device, and is manufactured in accordance with ISO9001:2015.



Tested quality

Our batteries are made exclusively from brand-name components and undergo strict quality controls. High-quality Japanese cells, robust housings and refined contacts guarantee batteries that often surpass performance and longevity of original batteries.



Customised development

Whether small or large series, standard or specialized products: our engineers develop tailor-made solutions and optimise products according to your needs. Thanks to global networking with leading developers and manufacturers, our products are always state-of-the-art.



Consulting and service

Our professionally trained consultants are at your side with their expertise. Our engineers and technicians will support you by telephone and will also be happy to visit you in person to present the optimal solution for your medical application.

Stay up to date!

Sign up now for our newsletter and be the first to hear about new products and accessories for your devices, with the opportunity to test and pre-order them.




www.axcom-shop.com/information/newsletter

Sign up!




Compatible from A to Z

Alaris Carefusion

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Asena CC, GS, GH, TIVA syringe pump	NiMH	7,2V / 2,7Ah	MB1072	To our shop
	Asena GW IVAC infusion pump	NiMH	7,2V / 1,3Ah	MB1078	To our shop
	Asena GP infusion pump	NiMH	9,6V / 2,7Ah	MB1079	To our shop

Arcomed





	Compatible with	Type	Voltage / Capacity	Item No.	Price
	SP6000, VP5000, VP5005, VP7000 syringe pump	NiMH	9,6V / 2,15Ah	MB2100	To our shop

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Sara3000, Maximove, Marisa, Miranti, Bolero, Calypso, Alenti patient lift	 PB	24V / 4Ah	MB0100	To our shop
	Cell replacement/repair order for Sara3000, Maximove, Marisa, Miranti, Bolero, Calypso, Alenti patient lift	PB	24V / 4Ah	MBU0100	To our shop
	Tempo, Opera, Encore, Sara Plus, Tandor patient lift	PB	24V / 6Ah	MB0101	To our shop
	Cell replacement/repair order for Tempo, Maximove, Opera patient lift	PB	24V / 5Ah	MBU0101	To our shop
	Maximove patient lift	PB	24V / 5,5Ah	MB0103	To our shop
	Maxi twin, Maxi twin compact, Carino, Carendo, Carevo patient lift	NiMH	24V / 2,5Ah	MB083	To our shop
	Cell replacement/repair order for Maxi twin, Maxi twin compact, Carino, Carendo, Carevo patient lift	NiMH	24V / 3,05Ah	MBU083	To our shop
	Cell replacement/repair order for Trixie, Sarita patient lift	PB	24V / 2Ah	MBU0102	To our shop
	Maximove, Ambulift, Maxilift patient lift	PB	24V / 4Ah	MB1301	To our shop
	Cell replacement/repair order for Maximove patient lift	PB	24V / 4Ah	MBU1301	To our shop
	Wall charger for Sara3000, Maximove, Marisa, Miranti, Bolero, Calypso, Alenti patient lift battery		24V / 1A	SM-AR0100	To our shop


A

B



Arjo

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Desktop charger for Maxi twin, Maxi twin compact Patient lift battery, Carino, Carendo, Carevo shower chair battery		24V / 0,4A	SM-MB083	To our shop
 Battery charger for Tempo, Opera, Encore, Sara Plus, Sarita, Trixie patient lift battery		24V / 1A	SM-AR0101NT	To our shop
 Hand switch with 2 buttons for ArjoHuntleigh Minstrel, Bianca, Trixie, Marisa, Sarita			HSA-2T	To our shop
 Hand switch with 4 buttons for ArjoHuntleigh Sara 3000, Sara Plus, Tenor, Maxi Move, Ambulift			HSA-4T	To our shop

Atmos

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Atmoport N suction pump	NiCD	12V / 3Ah	MB1097	To our shop


B|Braun

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Perfusor Compact	NiCD	3,6V / 0,6Ah	MB1120	To our shop
 Infusomat FMS, Infusomat P	NiCD	7,2V / 1,2Ah	MB1125P	To our shop

Made in Germany

Compatible with	Type	Voltage / Capacity	Item No.	Price
 <p>Infusomat FMS, Infusomat P With knurled screw for optimal fixation in the device</p>	 <p>Made in Germany</p>	NiCD 7,2V / 1,2Ah	MB1125PS	To our shop
 <p>Perfusor FM (MFC)</p>	 <p>Made in Germany</p>	NiCD 7,2V / 1,2Ah	MB1008P	To our shop
 <p>Perfusor Space, Infusomat Space (Original)</p>		NiMH 4,8V / 2,1Ah	MB1126MP-O	To our shop
<p>Cell replacement/repair order for Perfusor Space and Infusomat Space from B BRAUN with a price advantage of up to 45%</p>		NiMH 4,8V / 2,7Ah	MBU1126	To our shop
 <p>ZELLENTAUSCH ZELLENTAUSCH</p> <p>Cell replacement with Sanyo quality cells!</p>				
 <p>Infusomat FM, Perfusor FM</p>	 <p>Made in Germany</p>	NiCD 7,2V / 2Ah	MB1004P	To our shop
 <p>Perfusor FT, Perfusor VII</p>		NiCD 7,2V / 1,3Ah	MB1000	To our shop
 <p>Perfusor FT91, Perfusor F, Secura FT</p>	 <p>Made in Germany</p>	NiCD 7,2V / 1,2Ah	MB1002	To our shop
 <p>Thermoscan Pro 6000 ear thermometer (Original)</p>		NiMH 2,4V / 0,75Ah	MB4300-O	To our shop



BK Medical

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Flex Focus 400, 500, 800 ultrasound equipment	Li-Ion	14,4V / 8,55Ah	MB2027	To our shop



Bruker / Schiller

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Schiller AT1, SP1, AT101 ecg equipment	PB	12V / 1,2Ah	MPB12-1200T	To our shop
 Schiller AT10 ecg equipment	PB	12V / 0,8Ah	MB1041B	To our shop
 Schiller AT10 Plus ecg equipment (Original)	Li-Ion	21,6V / 2,3Ah	MB1010LI-O	To our shop
 Schiller AT104 ecg equipment	NiCD	7,2V / 0,7Ah	MB2104	To our shop
 Fred Easy defibrillator (Original)	LI-ME	12V / 2,8Ah	MB2013-O	To our shop



Codan Argus

Compatible with	Type	Voltage / Capacity	Item No.	Price
 707 Infusion pump	 NiMH	12V / 1,8Ah	MB407	To our shop





Criticon

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Dinamap Compact /S/Plus Dinamap Pro 100/200/300/400 Multifunction monitor 8710/8720	PB	12V / 2Ah	GB2312M	To our shop
 Criticon Dinamap Pro 1000 patient monitor	NiMH	12V / 7,4Ah	MB1250	To our shop

Datascope

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Accutorr Plus, Trio, Spectrum patient monitor	PB	12V / 2Ah	GB2312M	To our shop
 Accutorr Plus, Trio patient monitor	Li-Ion	11,1V / 4,4Ah	MB0241	To our shop

Datex / Ohmeda

Compatible with	Type	Voltage / Capacity	Item No.	Price
 S5 monitor (battery bundle)	 NiMH	2 X 12V / 4Ah	MB1049	To our shop
 F, FM patient monitor	Li-Ion	11,1V / 4,4Ah	MB1201	To our shop
 Cell replacement/repair order for TruSat pulse oximeter	NiMH	4,8V / 3Ah	MBU1056	To our shop

Dräger

Compatible with	Type	Voltage / Capacity	Item No.	Price
 <p>Infinity XL, Delta, Delta XL, Delta SC5000, Delta SC6000, Gamma XL, Kappa, Medical Gamma, Infinity, MS14234, MS14490, MS18340, SC6002XL, SC6802XL, Vista patient monitor</p>	Li-Ion	14,4V / 6,8Ah	MB1057-68	To our shop
 <p>Infinity, Infinity XL, Infinity Delta, Infinity XL patient monitor</p>	PB	12V / 2Ah	GB2312M	To our shop
 <p>Vista 120, Edan M80 patient monitor</p>	Li-Ion	14,8V / 5,7Ah	MB1009	To our shop
 <p>Dräger ToFscan NMT patient monitor</p>	Li-Ion	3,7V / 3,4Ah	MB1082	To our shop
 <p>Oxylog 2000 ventilator</p>	NiMH	7,2V / 1,18Ah	MB1051	To our shop
 <p>Oxylog 2000 (Plus), Oxylog 3000 (Plus) ventilator (Original)</p>	Li-Ion	11,1V / 7,8Ah	MB1230-O	To our shop
 <p>Babylog V500, VN500 ventilator</p>	NiMH	24V / 3Ah	MB1052	To our shop
 <p>Cardiolog 2000 S&W Cardioaid</p>	NiCD	12V / 1,9Ah	MB2000A	To our shop

Longer operating time thanks to increased capacity

Made in Germany

D

Batteries for Dräger patient monitors, ventilators and defibrillators

D

Benefit from reliable power for a wide range of Dräger devices. With a capacity that is sometimes even higher than that of the original battery, you can rely on it even in critical situations. For seamless integration and maximum performance, the compatibility of our batteries is confirmed by a declaration of conformity.



Li-Ion battery for Dräger Infinity Gamma, Delta, SC6002XL, SC6802XL

Item number: MB1057
OEM: MS14490, MS18340
Type: Lithium-Ion
Voltage: 14,4V
Capacity: 4,4Ah

[To our shop](#)

Also available with increased capacity (6.8 Ah): MB1057-68



Li-Ion battery for Dräger Infinity M450, M540

Item number: MB540
OEM: MS17465, MS29574
Type: Lithium-Ion
Voltage: 7,4V
Capacity: 3,4Ah


[To our shop](#)








Accessories for Dräger devices

Our temperature sensors offer flexible application options for children and adults – on the skin, in the ear and rectally. The range is complemented by SpO₂ sensors and adapter cables in various designs to support patients of all ages. In addition, you will receive ECG trunk cables, patient leads and blood pressure cuffs with matching adapters for precise and reliable measurements.



Esaote

Compatible with	Type	Voltage / Capacity	Item No.	Price
 MyLab Five, 25 Gold, 30 Gold ultrasound system	Li-Ion	14,4V / 8,55Ah	MB2029	To our shop

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Volumat Agilia D infusion pump	Li-Ion	7,4V / 2,6Ah	MB1790	To our shop
 Volumat Agilia infusion pump (Original)	Li-Ion	7,4V / 2,2Ah	MB1790 Smart-O	To our shop
 Injektomat Agilia syringe pump	NiMH	6V / 2,1Ah	MB3639	To our shop
 Injektomat C/CP syringe pump (VPE 5)	NiCD	1,2V / 1,8Ah	M12XTBF	To our shop
 Applix, Applix Smart feeding pump	NiMH	4,8V / 1,2Ah	MB1034	To our shop
 Amika, Applix, Applix Smart, Applix Vision, Ambix activ feeding pump	NiMH	4,8V / 1,8Ah	MB1031	To our shop
 MCM 404, MCM 504, Volumed VP2000, VP5000 infusion pump	NiCd	12V / 1,8Ah	MB404	To our shop

Made in Germany

Höhere Kapazität

E

F

Fresenius



Compatible with	Type	Voltage / Capacity	Item No.	Price
MCM 440, MC 550, Optima infusion pump	NiMH	6V / 3Ah	MB440	To our shop









Fukuda Denshi



Compatible with	Type	Voltage / Capacity	Item No.	Price
Cardimax FX-8322, BTE-002 ecg equipment	Li-Ion	14,8V / 4,6Ah	MB-FX8	To our shop

F

GE Healthcare

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Vital Sign Pro 400 patient monitor	PB	12V / 2Ah	GB2312M	To our shop
	Carescape B650 GE Marquette patient monitor	Li-Ion	11,1V / 6,6Ah	MB650	To our shop
	Carescape Dinamap VC150 patient monitor (Original)	Li-Ion	10,8V / 5,8Ah	MB1270-O	To our shop
	GE Healthcare Carescape PDM, Mini Dash patient monitor	Li-Ion	10,8V / 2,2Ah	MB1203	To our shop
	GE Healthcare Logiq E ultrasound system	Li-Ion	14,8V / 5,2Ah	MB1251	To our shop
	GE Hellige Marquette ECG MAC3500, MAC5000, MAC5500 ecg equipment	NiMH	18V / 3,5Ah	MB1208A	To our shop

Higher capacity than the original battery

G

Batteries for GE Healthcare

Our batteries for GE Healthcare provide reliable power for patient monitors, ultrasound systems, ECG devices and patient data modules. Thanks to their higher capacity compared to the original, they enable longer runtimes and optimal performance. Their seamless integration is guaranteed by a tested declaration of conformity.



Li-Ion battery for GE Dash 3000, Dash 4000, Dash 5000, B20, B30, B40

Item number: MB1201
OEM: M1008142, 2017857-002
Type: Lithium-Ion
Voltage: 11,1V
Capacity: 4,5Ah

[To our shop](#)




Li-Ion battery for GE Carescape B450

Item number: MB450
OEM: 2062895-001
Type: Lithium-Ionen
Voltage: 10,8V
Capacity: 4,4Ah



[To our shop](#)

GE accessories

Our accessories for GE Healthcare include robust blood pressure cuffs with matching adapters, as well as ECG trunk cables and patient leads for precise measurements. We also offer temperature sensors for children and adults, available as disposable or reusable versions for skin, ear and rectal measurements. The range is rounded off by a wide selection of SpO₂ sensors and adapter cables, including finger sensors, soft finger sensors and ear sensors for all age groups.





Heine

Compatible with	Type	Voltage / Capacity	Item No.	Price
 X-002.99.315 (Original)	NiMH	3,5V / 0,7Ah	MB7015	To our shop
 M2Z X-001.99.306 (Original)	NiMH	2,5V / 0,75Ah	MB7010	To our shop

H

Hamilton

Compatible with	Type	Voltage / Capacity	Item No.	Price
 C1, T1, MR-1 ventilator	Li-Ion	10,8V / 5,7Ah	MB2026	To our shop
 C2, C3, C6, S1 ventilator	Li-Ion	14,4V / 8,55Ah	MB2028	To our shop

Hellige/Marquette

Compatible with	Type	Voltage / Capacity	Item No.	Price
 SMP 300/320 transport monitor	PB	12V / 2Ah	GB2312M	To our shop
 Dash 2000 patient monitor	 NiCD	12V / 3Ah	MB1206	To our shop
 Carescape B450 GE Marquette patient monitor	Li-Ion	10,8V / 4,4Ah	MB450	To our shop
 Carescape B650 GE Marquette patient monitor	Li-Ion	11,1V / 6,6Ah	MB650	To our shop
 SCP910, SCP913, SCP915, SCP922, Cardioserv 303-440-30 defibrillator	NiCD	12V / 1,2Ah	MB1030	To our shop
 Hellige Cardiosmart EKG-Gerät, Marquette MAC1100, MAC1200 ecg equipment	NiCD	18V / 1,6Ah	MB1019	To our shop
 MAC 1200 ST ecg equipment	Li-Me	3V	BUMB1019	To our shop
 ECG MAC3500, MAC5000, MAC5500 ecg equipment	NiMH	18V / 3,5Ah	MB1208A	To our shop
 Marquette MAC 2000 ecg equipment	Li-Ion	14,4V / 3,5Ah	MB3809-O	To our shop
 Cell replacement/repair order für Defiscope defibrillator	NiCD	12V / 3Ah	MB1026	To our shop

Hewlett Packard



Compatible with	Type	Voltage / Capacity	Item No.	Price
Codemaster XL+ M1722, M1723, M1724, M1758 defibrillator	PB	12V / 4,5Ah	MB1100	To our shop
40488A, M1275 transport monitor	PB	12V / 2Ah	GB2312M	To our shop



H








Hill-Rom




Compatible with	Type	Voltage / Capacity	Item No.	Price
Evolution MA2B, MA8A, MA8B, CB12 patient bed (battery bundle)	PB	2x 12V / 1,2Ah	MB3644	To our shop
Evolution CS156, LI156A, LI156B, LI156C, LI156D, LE156E, ME1A, MA3A, CB18 patient bed (battery bundle)	PB	2x 12V / 1,2Ah	MB3645	To our shop
Liko Lifter Golvo 7000es, Golvo 7007, Sabina, Vinking M, Sabina II Patientenlifter Primo ES patient bed (battery bundle)	PB	2x 12V / 2,9Ah	MB3666	To our shop
Avantgarde 1200 patient bed	PB	24V / 0,8Ah	MB3803	To our shop
Avantguard 1265 patient bed (battery bundle)	PB	2 x 12V / 1,2Ah + 2 x 12V / 0,8Ah	MB1265	To our shop
Total Care, Affinity III patient bed (battery bundle)	PB	2x 12V / 7,2Ah	MB3646	To our shop





Maquet

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Stierlen/Maquet Operating table remote control	 NiMH	10,8V / 0,6Ah	MS9180	To our shop
 Servo I, Servo S ventilator (Original)	NiMH	12V / 3,5Ah	MB1127-O	To our shop
 115001A1 operating table	 PB	12V / 8Ah	MB2020	To our shop
 Alphamaquet operating table (battery bundle)	 PB	4x 12V / 7,2Ah	MB1150	To our shop

Masimo

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Rad-8 pulse oximeter	PB	6V / 1,2Ah	MB3640	To our shop

MGVG / Döring

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Combimat 2000, IP85 (1+2), CS01 Infusion pump <div style="position: absolute; top: 100px; left: 150px; background-color: orange; border-radius: 50%; padding: 5px; font-size: 8px;">50% more capacity than the original</div> <div style="position: absolute; top: 140px; left: 100px; background-color: orange; border-radius: 50%; padding: 5px; font-size: 8px;">Made in Germany</div>	NiCD	7,2V / 1,8Ah	MB1065	To our shop
 Combimat CS03, CS06 Infusion pump <div style="position: absolute; top: 195px; left: 150px; background-color: orange; border-radius: 50%; padding: 5px; font-size: 8px;">50% more capacity than the original</div> <div style="position: absolute; top: 235px; left: 100px; background-color: orange; border-radius: 50%; padding: 5px; font-size: 8px;">Made in Germany</div>	NiCD	9,6V / 1,8Ah	MB1065L	To our shop

Mindray

Compatible with	Type	Voltage / Capacity	Item No.	Price
 BeneView T1 transport monitor	Li-Ion	7,4V / 2,3Ah	MB6003	To our shop
 BeneVision N1 patient monitor	Li-Ion	7,56V / 2,6Ah	MB6001	To our shop
 BeneVision M7 patient monitor	Li-Ion	11,1V / 4,5Ah	MB6004	To our shop
 BeneVision M8, M9, TE7, TE9 patient monitor SV600, SV650, SV800, SV850 ventilator	Li-Ion	14,8V / 5,7Ah	MB6005	To our shop
 Mindray VS9 patient monitor, SV600, SV650, SV800, SV850 ventilator	Li-Ion	11,1V / 5,6Ah	MB6009	To our shop

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	MEC 1200, MEC1000, VS-800 (Geräte bis 2012), M8000 express monitor	PB	12V / 2Ah	GB2312M	To our shop
	PM8000, PM9000, VS800 patient monitor	Li-Ion	11,1V / 4,4Ah	MB0241	To our shop
	IMEC12, IMEC10, IMEC8, IPM10, IPM12, IPM8, VS600, VS900 patient monitor	Li-Ion	11,1V / 4,4Ah	MB6008	To our shop
	BeneHeart D1 AED defibrillator	LiMnO2	12V / 4,2Ah	MB6002	To our shop
	Mindray Beneheart D2, D3 defibrillator	Li-Ion	14,8V / 4,5Ah	MB6006	To our shop

Over 60% more capacity than the original

Accessories for Mindray





Maximise the performance of your Mindray devices with high-quality accessories. You can choose from SpO₂ sensors such as finger, soft-finger, and ear sensors suitable for all age groups from infants to adults. We also offer ECG trunk cables, patient leads and high-quality blood pressure cuffs with matching adapters for precise measurements. For temperature monitoring, versatile single-use and reusable sensors are available, ideal for measuring on the skin, in the ear, or rectally.

All accessories are precisely matched to Mindray patient monitors and ensure reliable signal transmission as well as high measurement accuracy. The robust construction guarantees durability and easy handling in everyday clinical settings. Thanks to their compatibility and simple connection options, sensors and cables can be quickly exchanged and optimally adapted to different patient groups.

With our quality accessories, you ensure consistently high measurement accuracy, maximum operational safety, and cost efficiency in daily use.



Nellcor

Compatible with	Type	Voltage / Capacity	Item No.	Price
 N-200 pulse oximeter	PB	6V / 2,8Ah	GB624	To our shop
 N-600 Oximax, N-600X Oximax, NPB-190, NPB-195, NPB-199, NPB-290, NPB-295, NPB-390, NPB-395, NPD-595, NPD-3910, NPD-3920 pulse oximeter / monitoring	PB	6V / 4,5Ah	MPB6-4500	To our shop
 E 300 patient monitor, N-180, N-185 pulse oximeter / monitoring	PB	12V / 2Ah	GB2312M	To our shop
 N-560, N-550B Oximax pulse oximeter / monitoring	NiMH	9,6V / 4,0Ah	MB2560	To our shop




Medical accessories for Nellcor

As a well-established name in pulse oximetry, Nellcor not only offers medical devices but also a wide range of SpO₂ sensors. These sensors are designed for precise monitoring of blood oxygen saturation and are used worldwide due to their reliability. Many well-known manufacturers such as Philips, Dräger and Siemens therefore integrate Nellcor-compatible connections into their medical monitoring devices.





Axcom Power Solutions provides a broad selection of medical accessories with Nellcor connectors, including SpO₂ sensors and adapter cables for a wide variety of device configurations. In addition, sensors and cables for Nellcor Oximax technology are available, offering even more accurate and stable patient monitoring. High-quality workmanship and full compatibility are the focus—ensuring maximum safety and efficiency in everyday clinical use.



Nihon Kohden

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Cardiolife TEC5521, TEC5531, TEC7221, TEC7621, TEC7631, TEC7721, TEC7731 defibrillator Cardiofax ECG84xx, ECG882x, ECG8830 ecg equipment	PB	12V / 2Ah	GB2312M	To our shop

Nihon Kohden

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Cardiolife TEC5500, TEC5521, TEC5531, TEC-5531K, TEC5631, TEC7621, TEC7631, TEC7721, TEC7731K defibrillator Cardiofax ECG-1350 ecg equipment	NiMH	12V / 3Ah	MB2007	To our shop
		Made in Germany	more capacity than the original		
	Cardiolife TEC5500, TEC5521, TEC5531, TEC-5531K, TEC5631, TEC7621, TEC7631, TEC7721, TEC7731K defibrillator Cardiofax ECG-1350 ecg equipment (Original)	NiMH	12V / 2,8Ah	MB2007-O	To our shop
	Cardiolife TEC-8352, TEC8300-series defibrillator	Li-Ion	14,4V / 6,3Ah	MB2042-O	To our shop
	Cardiofax S Typ SB901D ecg equipment (Original)	NiMH	12V / 1,95Ah	MB9010-O	To our shop
	Pvm 2701 monitor (Original)	NiMH	9,6V / 3,7Ah	MB2015-O	To our shop
	Cardiolife AED 2100 ab SN5001, AED2150 defibrillator (Original)	LiMnO2	27V / 2,8Ah	MB2152-O	To our shop
	Cardiolife AED 2100 ab SN5001, AED2150 defibrillator (Original)	LiMnO2	30V / 1,4Ah	MB2150-O	To our shop
	BSM2300, BSM2301, X062 patient monitor	NiMH	12V / 3,7Ah	MB2005	To our shop
	BSM3000, BSM6000, BSM6300, BSM650, BSM6700, X075 patient monitor (Original)	NiMH	9,6V / 2,9Ah	MBX075-O	To our shop
	Cell replacement/repair order for BSM3000, BSM6000, WEP-5200 patient monitor	NiMH	9,6V / 4Ah	MBU075	To our shop

Philips (Patient monitors)

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	IntelliVue 60 System, MP20, MP30, MP40, MP5, MP50, MX400, MX500, MX550 patient monitor	Li-Ion	10,8V / 6,6Ah	MB4605A	To our shop
				10% more capacity than the original	
	Philips IntelliVue MX40 patient monitor	Li-Ion	3,7V / 1,9Ah	MBMX40	To our shop
				Also available as original (MBMX40-O)	
	Philips IntelliVue MX40 patient monitor (Bundle of 3 batteries)	Li-Ion	3,7V / 1,9Ah	MBMX40-Bundle	To our shop
	VSi / VS2+ patient monitor	Li-Ion	11,1V / 2,6Ah	MB201A	To our shop
				more capacity than the original	
	VM4, VM6, VM8 patient monitor	Li-Ion	11,1V / 6,6Ah	MB202VM	To our shop
	Efficia CM100, CM10, CM12, CM120, CM150 patient monitor	Li-Ion	10,8V / 7,8Ah	MB-CM100	To our shop
	Invivo MR400 patient monitor	Li-Ion	14,8V / 5,2Ah	MB1181	To our shop
				more capacity than the original	
	EarlyVue VS30 patient monitor	Li-Ion	10,8V / 8,5Ah	MB2450VS	To our shop
	40488A/M, 12771, 1204A patient monitor	PB	12V / 2Ah	GB2312M	To our shop
	Laerdal Heartstart MRx defibrillator, M3538A, M3535A, M3536A patient monitor	Li-Ion	14,4V / 6,6Ah	MB3538A	To our shop

P

High-performance batteries for Philips patient monitors

Rely on dependable power to monitor vital signs accurately and continuously. Our batteries for Philips patient monitors stand for uncompromising quality, durability and high endurance – perfect for use in intensive care units or during anaesthesia. Thanks to high-quality Japanese cells and robust construction, they ensure uninterrupted operation even in critical moments. This means your Philips patient monitors are always ready for use, allowing you to keep a close eye on the health of your patients.



Li-Ion battery for Philips IntelliVue X2, MP2 with increased capacity

Item number: MB4607A
OEM: 989803148701, M4607A
Type: Lithium Ion
Voltage: 11,1V
Capacity: 1,8Ah

[To our shop](#)



Li-Ion battery for Philips IntelliVue X3, MX3, MX100, MMS

Item number: MB-MX3A
OEM: 989803196521
Type: Lithium Ion
Voltage: 10,8V
Capacity: 2Ah

[To our shop](#)

Also available as original battery: MB-MX3

Precisely fitting accessories

Expand the functionality of your Philips devices with temperature sensors available for both children and adults in disposable and reusable versions for measurements on the skin, in the ear or rectally. In addition, we offer a wide range of SpO₂ sensors and adapter cables covering all age groups. These are compatible not only with Philips ports but also with modules from Nellcor, Masimo, and Masimo Rainbow. LNCS sensors ensure interference-free measurements, while Oximax technology provides reliable results even with weak signals. The range is rounded out by durable blood pressure cuffs.



Philips (defibrillators)

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Heartstart FR1, ForeRunner BT1 defibrillator	LI-ME	18V / 1,3Ah	MB3000	To our shop
	Laerdal Heartstart FR3 defibrillator	Li-Mn	12V / 4,7Ah	MB3002	To our shop
	Laerdal Heartstart MRx defibrillator, M3538A, M3535A, M3536A patient monitor	Li-Ion	14,4V / 6,6Ah	MB3538A	To our shop
	Heartstart XL+ defibrillator	Li-Ion	14,4V / 8,5Ah	MB2313XL	To our shop
	Heartstream XL/XLT, Heartstart XL, LCS-2312P, M4735A defibrillator	PB	12V / 2Ah	MB2312XL	To our shop
	Efficia DFM100 defibrillator	Li-Ion	14,8V / 5,7Ah	MB3003	To our shop
	Efficia DFM100 defibrillator (Original)	Li-Ion	14,8V / 5Ah	MB3003-O	To our shop

30%
higher
capacity
than the
original

more
capacity
than the
original

Batteries for Philips defibrillators

Our batteries for Philips defibrillators deliver reliable performance in an emergencies, making a life-saving difference. They are 100% identical to the original, feature high-quality battery cells and offer guaranteed compatibility through a declaration of conformity.



LiMnO₂ battery for Philips Heartstart FR2, FR2+ AED defibrillator

Item number: MB900
OEM: M3863A, M3860A, M3840A, M3841A, M3860A, M3861A
Type: lithium manganese dioxide
Voltage: 12V
Capacity: 4,2Ah

[To our shop](#)



LiMnO₂ battery for Philips Heartstart HS1, FRx AED defibrillator


Item number: MB5070A
OEM: M5070A, M5066A
Type: Lithium-Mangandioxid
Voltage: 9V
Capacity: 4,2Ah








[To our shop](#)

Also available as original battery:
MB5070A-O

Defibrillator-Pads

We also offer high-quality defibrillator pads, with clear instructions for body placement to simplify handling in emergencies. Rely on accessories that optimally support your devices when it matters most.




Compatible with	Type	Voltage / Capacity	Item No.	Price		
	PageWriter TC30, TC50, TC70 ECG recorder		Li-Ion	10,8V / 8,5Ah	MB2450A	To our shop
	Sparq ultrasound system	Li-Ion	14,4V / 8,55Ah	MB2025	To our shop	
	CX50, WA98021 ultrasound system	Li-Ion	14,4V / 6,15Ah	MB-CX50	To our shop	
	MR400 Wireless modul (Original)	Li-Po	3,7V / 0,83Ah	MB1182-O	To our shop	
	Respirnics V60 ventilator	Li-Ion	14,4V / 11Ah	MB2060	To our shop	
	Cell replacement/repair order for BD500 defibrillator	NiCD	12V / 3Ah	MB1026	To our shop	

Accessories for Philips

Example: IntelliVue X3

Axcom offers a wide range of high-quality accessories for medical devices. Using the Philips IntelliVue X3 as an example, we showcase the solutions we provide for your monitoring system.



BDMA-M1574A
Comfort blood pressure cuff for adults
27–35 cm



BDMI-M1571A
Comfort blood pressure cuff for infants
10–15 cm



BDM-YA80A06
Blood pressure connection cable for Philips
X3, MMX, MX100



MCS-1PH01-L
SpO2 finger sensor clip for adults weighing
40 kg or more



MCA-3PH-MA-L
SpO2 extension cable LNCS for Philips/Masimo
Rainbow Set to Nellcor plug



MCA-1PH-NE-L
SpO2 extension cable for Philips to Nellcor
plug



T-B3000W
Reusable rectal temperature sensor for Philips,
25° 2-pin connector



EKG-IA3370GDE
ECG trunk cable for Philips, 3-wire with
straight plug





EKG-I3C040GDE
ECG patient lead for Philips, 3-wire with clip


Physio Control

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Lifepak 1000 defibrillator (Original)	LI-ME	12V / 4,5Ah	LP1000-O	To our shop
	Lifepak 20 defibrillator	Made in Germany NiMH	12V / 3,0Ah	LP20	To our shop
	Lifepak 5, Lifepak 10 defibrillator	NiCD	12V / 1,8Ah	LP5FP-13	To our shop
	Lifepak 20E defibrillator	30% more capacity than the original Li-Ion	11,1V / 6,6Ah	LP20E	To our shop
	Lifepak 20E defibrillator (Original)	Li-Ion	11,1V / 6,0Ah	LP20E-O	To our shop
	Lifepak 9 defibrillator	Made in Germany PB	16V / 2,5Ah	LP9H	To our shop
	Lifepak CR+ / Lifepak Express defibrillator (Original)	Includes Electrode set LI-ME	12V / 1,5Ah	LPCRPO	To our shop
	Lifepak 15 defibrillator (Original)	Li-Ion	10,8V / 6Ah	MB15-O	To our shop
	Lifepak 500 defibrillator	LI-ME	12V / 7,5Ah	LP500	To our shop
	Lucas 2, Lucas 3 resuscitation System (Original)	Li-Po	25,9V / 3,3Ah	LP-Lucas3	To our shop





Primedic / Metrax

Compatible with	Type	Voltage / Capacity	Item No.	Price
 B/M110 defibrillator	 NiCD	14,4V / 2,0Ah	MB1110	To our shop

Protocol Propaq

Compatible with	Type	Voltage / Capacity	Item No.	Price
 102, 104, 106, 204, 206 patient monitor	PB	8V / 5Ah	MB6082	To our shop

Schell Industries

Compatible with	Type	Voltage / Capacity	Item No.	Price
 J7433.1 patient bed (battery bundle)	 PB	2x 12V / 1,2Ah	MB3649	To our shop
 D5912.1 patient bed (battery bundle)	 PB	2x 12V / 1,2Ah	MB3650	To our shop

Seca



Compatible with	Type	Voltage / Capacity	Item No.	Price
757, 771, 772, 909, 921, 927, 944, 959 Personal scales	Made in Germany NiCD	7,2V / 0,7Ah	MB1099	To our shop

Siemens



Compatible with	Type	Voltage / Capacity	Item No.	Price
SC6002XL, SC6802XL, SC7000, SC9000XL, MS1423, patient monitor	Increased capacity Li-Ion	14,4V / 6,8Ah	MB1057-68	To our shop



SC6002XL, SC6802XL, SC7000, SC9000XL, MS1423 patient monitor	Li-Ion	14,4V / 4,2Ah	MB1057	To our shop
---	--------	---------------	---------------	-----------------------------

Spacelabs





Compatible with	Type	Voltage / Capacity	Item No.	Price
90305, 90306, 90308 Express monitor	PB	12V / 2Ah	GB2312M	To our shop


Stieglmeyer

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Vivendo EM1, EM3, EM4 patient bed (battery bundle)	PB	2x 12V / 1,2Ah	MB3651	To our shop
	Avanta, Avanta Plus, Avanta Classic, Puro, Seta EM4 patient bed (battery bundle)	 PB	2x 12V / 1,2Ah	MB3652	To our shop
	Vitano, AG300, Sicuro Plus patient bed (battery bundle)	 PB	4x 6V / 1,2Ah	MB3653	To our shop
	Cell replacement/repair order for Seta patient bed	PB	24V / 1,2Ah	MBU3804S	To our shop
	Cell replacement/repair order for Avanta, Avanta plus, Avanta classic, Puro, Seta EM4 patient bed (battery bundle)	 PB	2x 12V / 1,2Ah	MBU3652	To our shop



Stryker

	Compatible with	Type	Voltage / Capacity	Item No.	Price
	Smartpump VBM Tourniquet System 8000, 9000	 NiMH	12V / 3Ah	MB8000	To our shop






Synthes

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Power Drive Typ 532.003 drill	NiCD	12V / 0,7Ah	MB1373	To our shop



Trimed und Quest

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Medical AC Tester (II)	 NiCD	10,8V / 3Ah	MS9200	To our shop



Völker

Compatible with	Type	Voltage / Capacity	Item No.	Price
 S582 patient bed (battery bundle)	PB	2x 12V / 5,4Ah	MB3661	To our shop
 S960-1 patient bed (Version A/B/C)	 PB	24V / 5Ah	MB3805	To our shop
 S962-2, S962-2W, S962-2 vis-a-vis, S282, S382 patient bed (battery bundle)	 PB	2x 12V / 7,2Ah	MB3656	To our shop

Weinmann

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Accuvac Rescue WM10647, WM15830 suction pump	 NiCD	12V / 3Ah	MB1015	To our shop

Weinmann

Compatible with	Type	Voltage / Capacity	Item No.	Price
 Accuvac Pro WM11603 suction pump (Original)	Li-Ion	14,8V / 6,0Ah	MB1017-O	To our shop
 Accuvac Light, Basic suction pump	PB	12V / 3,4Ah	MB909	To our shop

Welch Allyn






Compatible with	Type	Voltage / Capacity	Item No.	Price
 Vital Signs Lxi patient monitor (Original)	PB	6V / 6Ah	MB4500-O	To our shop
 Vital Signs 300 patient monitor (Original)	PB	6V / 4Ah	MB1501-O	To our shop
 BATT-99 Connex VSM6000, CVSM, CP150, Spot Power patient monitor	Li-Ion	11,1V / 7,8Ah	MB4699	To our shop
 Thermoscan Pro 6000 ear thermometer (Original)	NiMH	2,4V / 0,75Ah	MB4300-O	To our shop
 Connex Pro BP 3400 blood pressure monitor	Li-Ion	3,6V / 2,6Ah	MB4602	To our shop
 Connex Spot 2-Zell blood pressure monitor	Li-Ion	7,2V / 3,2Ah	MB4600	To our shop
 Connex Spot 2-Zell blood pressure monitor (Original)	Li-Ion	7,2V / 3,2Ah	MB4600-O	To our shop

30% more capacity than the original






More capacity than the original



Wissner-Bosserhof

Compatible with	Type	Voltage / Capacity	Item No.	Price
 <p>Eleganza (Q7), Estetic, Multicare Image 3 patient bed (battery bundle)</p>	 PB	2x 12V / 1,2Ah	MB3659	To our shop
 <p>Multicare patient bed (battery bundle)</p>	 PB	2x 12V / 7,2Ah	MB3658	To our shop
 <p>Cell replacement/repair order for Eleganza Smart Linet patient bed</p>	PB	24V / 1,2Ah	MBU3659	To our shop

Zoll

Compatible with	Type	Voltage / Capacity	Item No.	Price
 <p>AED defibrillator (10 pieces required per AED)</p>	 Li	3V	CR123A-D	To our shop
 <p>NTP2, PD1400, PD1600, PD1700, PD4410 E-Serie / M-Serie defibrillator</p>	PB	10V / 2,5Ah	MB1400	To our shop
 <p>E-Serie, R-Serie BLS, ALS, AED PRO, PLUS defibrillator (Original)</p>	Li-Ion	10,8V / 5,8Ah	MB1440-O	To our shop
 <p>Autopulse defibrillator, Board Typ 8700-0752-01 (Original)</p>	Li-Ion	36,3V / 2,5Ah	MB1490-O	To our shop

W

Z



Benefit from Axcom cell replacement

100% Performance at Lower Cost: With our cell replacement service, you benefit from sustainable and environmentally friendly power that is quick, simple, and affordable.

Thanks to the Axcom cell replacement service, used batteries can be conveniently fitted with new high-quality cells. You receive a battery that is as good as new with a 12-month warranty on the installed cells at a significantly lower price and also contribute to protecting our environment by avoiding waste and conserving resources. Our industrial grade cells undergo strict quality controls in our ISO 9001:2015 certified production facility.



Follow 4 easy steps:



1. Send in your batteries

In our online shop, select the desired battery under “Cell Replacement” or contact us directly. Then send us the well-packaged batteries.




2. Check the battery cells

Our technicians test the capacity and, in consultation with you, select cells of equal or higher quality that are 100% compatible with your battery.



3. Replace the cells

We replace the old cells so that your battery is like new again. Only the casing and safety components are reused.



4. Returns and warranty

After the cell replacement, you receive the battery back immediately—complete with a 12-month warranty on the new cells.

SpO₂-Sensors – Precision and comfort for every patient

With SpO₂ sensors from Axcom Power Solutions, you choose high-quality products that are 100% compatible with pulse oximeters from leading manufacturers.

Our range includes sizes from infants to adults, and the sensors are available as either single-use or reusable versions—always providing the highest measurement accuracy and wearing comfort.

Adapter cables

Axcom adapter cables allow universally compatible SpO₂ sensors to be connected to devices from various manufacturers. This means that even with a mixed device inventory, you can use the same sensors and save the cost of purchasing additional ones when acquiring new equipment.

Available in different lengths and are compatible with major renowned manufacturers such as Philips, Nellcor, Nihon Kohden, GE, as well as Masimo and Oximax technologies.



Single-use sensors

Our single-use SpO₂ sensors stand out for their high measurement accuracy, hygienic safety, and comfortable wear.

Particularly popular are adhesive sensors made of breathable material, which adhere securely while being gentle on the skin. Their stable positioning significantly reduce the risk of measurement errors. Patients sweat less, preventing sensor slippage and ensuring more precise and reliable readings. Alternatively, we offer single-use sensors with Velcro straps, which are quick and easy to apply while still providing a secure fit.



Reusable sensors

Reusable SpO₂ sensors are ideal for routine monitoring or long-term patient observation, where frequent sensor changes should be avoided.

Made from durable, disinfectable materials are especially long-lasting, sustainable, and cost-effective. Our reusable sensors are latex-free and biocompatible to prevent allergic reactions, and they are available in all sizes from infants to adults.

Perfect fit across all sizes

Our universally compatible blood pressure cuffs are available in standard sizes as well as oversized versions. They come without adapters, with a connecting tube, and, if needed, also as a two-tube solution.

Experience measurable benefits

Universally Compatible



With an open tube end, various adapters and connecting tubes, these cuffs can be used with all monitoring systems.

Comfortable to Wear



The soft TPU material is latex-free, enhancing comfort for patients.

Maximum Hygiene



Replaceable bladder and easy-to-clean material prevents the absorption of liquids and odors.

Easy to Use



Designed for quick handling in fast-paced medical environments.

Durable Longevity



Rely on dependable and robust quality for frequent and intensive use.

Certified Quality



Tested thoroughly, 100% compliant, cost-effective, and backed by a 12-month warranty.



Blood pressure cuffs

Description	OEM	For arm/leg circumference	Length	Width	Item No.	Price & Delivery time
For newborns	5082-81-3	6-11cm	23cm	4,5cm	BDMN-5082-81-3	To our shop
For infants	M1571A	10-15cm	21cm	7cm	BDMI-M1571A	To our shop
For infants with oversized limbs	M1571A (oversize)	10-19cm	29cm	8,5cm	BDMI-M1571A-PLUS	To our shop
For children	M1572A	14-21,5cm	30cm	9cm	BDMP-M1572A	To our shop
For children with oversized limbs	M1572A (oversize)	18-26cm	40cm	11cm	BDMP-M1572A-PLUS	To our shop
For teenagers / small adults	M1573A	20,5-28cm	39cm	11,5cm	BDMS-M1573A	To our shop
For adults	M1574A	27-35cm	46cm	14cm	BDMA-M1574A	To our shop
For adults with oversized limbs	M1574XL	25-35cm	64cm	14cm	BDMA-M1574A-PLUS	To our shop
For tall adults	M1575A	34-43cm	55cm	17cm	BDML-M1575A	To our shop
For thighs	M1576A	42-54cm	73cm	21cm	BDMT-M1576A	To our shop
For oversized thighs	M1576A (oversize)	46-66cm	77cm	22cm	BDMT-M1576A-PLUS	To our shop

Everything from Axcom in our onlineshop

For clinics, care or emergency services, hospitals, or other medical facilities: Our range offers the right product for every need. Explore our online shop now, featuring a wide selection of our own certified products as well as originals from over 40 leading medical manufacturers.

axcom-shop.com



Receive Expert Advice

We are your ideal partner for safe and reliable mobile power sources, accessories, and charging technology in almost any application area. Our services go far beyond simply purchasing a battery or accessory: in addition to a 12-month warranty, our qualified consulting team is always available to provide you with expert guidance and support.

Contact us

Telephone: +49 (0) 2154-4838-0
E-Mail: info@axcom.de



How can we assist you?

Tel.: +49 (0) 2154-4838-0
E-Mail: info@axcom.de
www.axcom.de

Axcom Power Solutions GmbH
Carl-Friedrich-Benz-Straße 15
D-47877 Willich